

| L Number | Hits  | Search Text  | DB  | Time stamp       |
|----------|-------|--|---|------------------|
| 1        | 15208 | unix same (operating adj system)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 12:39 |
| 2        | 3223  | ((unix same (operating adj system)) and file adj system  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 12:50 |
| 3        | 704   | ((unix same (operating adj system)) and file adj system ) and archiv\$4  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 12:50 |
| 4        | 40    | ((unix same (operating adj system)) and file adj system ) and archiv\$4) and archiv\$4 near4 utility   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 12:43 |
| 5        | 35    | ((unix same (operating adj system)) and file adj system ) and archiv\$4) and archiv\$4 near4 utility) and (copy or copying) and image                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 12:40 |
| 6        | 35    | ((unix same (operating adj system)) and file adj system ) and archiv\$4) and archiv\$4 near4 utility) and (copy or copying) and image and format\$4      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 12:40 |
| 7        | 24    | ((unix same (operating adj system)) and file adj system ) and archiv\$4) and archiv\$4 near utility  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 12:44 |
| 8        | 9     | ((unix same (operating adj system)) and file adj system ) and archiv\$4) and archiv\$4 near utility) and storage adj (media or medium)                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 12:47 |
| 9        | 2     | (unix same (operating adj system)) and utility near4 (archiv\$4 and CPIO)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 12:47 |
| 10       | 2     | ((unix same (operating adj system)) and utility near4 (archiv\$4 and CPIO)) and storage adj (media or medium)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 12:47 |
| 11       | 2     | ((unix same (operating adj system)) and utility near4 (archiv\$4 and CPIO)) and storage adj (media or medium)) and format\$4                             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 12:48 |
| 12       | 0     | ((unix same (operating adj system)) and utility near4 (archiv\$4 and CPIO)) and storage adj (media or medium)) and format\$4) and retriev\$4             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 12:48 |
| 13       | 0     | ((unix same (operating adj system)) and utility near4 (archiv\$4 and CPIO)) and storage adj (media or medium)) and format\$4) and request\$4 and routine | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 12:49 |

|    |   |   |   |                  |
|----|---|---|---|------------------|
| 14 | 1 | (((unix same (operating adj system)) and utility near4 (archiv\$4 and CPIO)) and storage adj (media or medium)) and format\$4) and request\$4                                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 12:49 |
| 15 | 1 | (((unix same (operating adj system)) and utility near4 (archiv\$4 and CPIO)) and storage adj (media or medium)) and format\$4) and request\$4 ) and file adj system                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 12:50 |
| 16 | 1 | (((unix same (operating adj system)) and utility near4 (archiv\$4 and CPIO)) and storage adj (media or medium)) and format\$4) and request\$4 ) and file adj system ) and archiv\$4 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 12:50 |

| L Number | Hits  | Search Text  | DB  | Time stamp       |
|----------|-------|--|---|------------------|
| 1        | 832   | data adj storage adj format  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:10 |
| 2        | 14819 | data adj storage adj (media or medium)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:53 |
| 3        | 369   | data adj storage adj technique   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:10 |
| 4        | 105   | (data adj storage adj format) and (data adj storage adj (media or medium))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:54 |
| 5        | 5     | ((data adj storage adj format) and (data adj storage adj (media or medium))) and archiv\$3 and (file adj system)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:58 |
| 6        | 1     | (data adj storage adj format) and (data adj storage adj technique) and archiv\$3 and (file adj system)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:10 |
| 7        | 5     | (data adj storage adj format) and (data adj storage adj technique)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:59 |
| 8        | 4     | ((data adj storage adj format) and (data adj storage adj (media or medium))) and tape near archiv\$3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:02 |
| 9        | 1     | ((data adj storage adj format) and (data adj storage adj (media or medium))) and tape near archiv\$3) and (data adj storage adj technique) and archiv\$3 and (file adj system) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:01 |
| 10       | 1     | ((data adj storage adj format) and (data adj storage adj (media or medium))) and tape near archiv\$3) and (data adj storage adj technique) and archiv\$3 and file              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:01 |
| 11       | 4     | ((data adj storage adj format) and (data adj storage adj (media or medium))) and tape near archiv\$3) and archiv\$3 and file   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:01 |
| 12       | 7     | ((data adj storage adj format) and (data adj storage adj (media or medium))) and copy same archiv\$3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:05 |
| 13       | 1     | (data adj storage adj format) and CPIO!  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:05 |

|    |      |  |   |                  |
|----|------|--|---|------------------|
| 14 | 1    | (data adj storage adj format) and CPIO   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:06 |
| 15 | 1    | (data adj storage adj (media or medium)) and CPIO  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:06 |
| 16 | 7    | (data adj storage adj technique) and CPIO  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:06 |
| 17 | 104  | CPIO   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:06 |
| 19 | 15   | ( CPIO and TAR) and storage adj format   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:09 |
| 20 | 23   | CPIO and TAR   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:09 |
| 21 | 3266 | storage adj format   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:10 |
| 22 | 1806 | (storage adj format) and data adj storage  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:10 |
| 23 | 1    | ((storage adj format) and data adj storage ) and (archiv\$3 and (file adj system)) near6 operations!                           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:11 |
| 24 | 2    | ((storage adj format) and data adj storage ) and (archiv\$3 and (file adj system)) near6 operation                             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:13 |
| 25 | 2    | ((storage adj format) and data adj storage ) and (archiv\$3 and (file adj system)) near6 operation) and request\$4 and routine | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:12 |
| 26 | 0    | ((storage adj format) and data adj storage ) and (archiv\$3 and (file adj system)) near6 routine                               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:13 |
| 27 | 1    | ((storage adj format) and data adj storage ) and (archiv\$3 and (file adj system)) near6 (routine or request\$4)\              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:13 |

|    |    |   |   |                  |
|----|----|---|---|------------------|
| 28 | 1  | ((storage adj format) and data adj storage ) and (archiv\$3 and (file adj system)) near6 (routine or request\$4)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:14 |
| 29 | 24 | ((storage adj format) and data adj storage ) and (archiv\$3 and (file adj system))same (routine or request\$4 or type)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:14 |
| 30 | 24 | ((storage adj format) and data adj storage ) and (archiv\$3 and (file adj system)) same (routine or request\$4 or type)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:17 |
| 31 | 1  | ((storage adj format) and data adj storage ) and (archiv\$3 and (file adj system)) same (routine or request\$4 or type)) and image adj copy   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:17 |
| 32 | 20 | ((storage adj format) and data adj storage ) and (archiv\$3 and (file adj system)) same (routine or request\$4 or type)) and image  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:17 |
| 33 | 20 | ((storage adj format) and data adj storage ) and (archiv\$3 and (file adj system)) same (routine or request\$4 or type)) and image ) and format\$5  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:18 |
| 34 | 16 | ((storage adj format) and data adj storage ) and (archiv\$3 and (file adj system)) same (routine or request\$4 or type)) and image ) and format\$5) and (directory or hierarch\$5)                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:18 |
| 35 | 10 | ((storage adj format) and data adj storage ) and (archiv\$3 and (file adj system)) same (routine or request\$4 or type)) and image ) and format\$5) and (directory or hierarch\$5)) and cartridge | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 11:18 |

| L Number | Hits  | Search Text   | DB  | Time stamp       |
|----------|-------|---|---|------------------|
| 1        | 14886 | (retriev\$4 or extract\$6) near6 (storage adj (device or medium or media or disk or volume))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 09:58 |
| 2        | 6318  | (retriev\$4 or extract\$6) near2 (storage adj (device or medium or media or disk or volume))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 09:48 |
| 3        | 442   | ((retriev\$4 or extract\$6) near2 (storage adj (device or medium or media or disk or volume))) and 707/\$.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 09:48 |
| 4        | 13    | ((((retriev\$4 or extract\$6) near2 (storage adj (device or medium or media or disk or volume)))) and 707/\$.ccls.) and archiving adj data  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 09:51 |
| 5        | 8     | (((((retriev\$4 or extract\$6) near2 (storage adj (device or medium or media or disk or volume)))) and 707/\$.ccls.) and archiving adj data) and (filesystem or (file adj system))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:04 |
| 6        | 4     | ((((((retriev\$4 or extract\$6) near2 (storage adj (device or medium or media or disk or volume)))) and 707/\$.ccls.) and archiving adj data) and (filesystem or (file adj system)))) and archival  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:04 |
| 7        | 487   | ((retriev\$4 or extract\$6) near2 (storage adj (device or medium or media or disk or volume))) and (data adj storage adj (approach\$6 or method or technique or apparatus or system))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:10 |
| 8        | 158   | ((((retriev\$4 or extract\$6) near2 (storage adj (device or medium or media or disk or volume))) and (data adj storage adj (approach\$6 or method or technique or apparatus or system))) and (data adj storage adj (media or medium)))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:16 |
| 10       | 79    | (((((retriev\$4 or extract\$6) near2 (storage adj (device or medium or media or disk or volume)))) and (data adj storage adj (approach\$6 or method or technique or apparatus or system))) and (data adj storage adj (media or medium))) and ((magnetic adj tape) or (floppy adj (disk or drive)))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:16 |
| 11       | 15    | ((((((retriev\$4 or extract\$6) near2 (storage adj (device or medium or media or disk or volume)))) and (data adj storage adj (approach\$6 or method or technique or apparatus or system))) and (data adj storage adj (media or medium))) and ((magnetic adj tape) or (floppy adj (disk or drive)))) and (filesystem or (file adj system)).   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:17 |
| 12       | 5     | ((((((retriev\$4 or extract\$6) near2 (storage adj (device or medium or media or disk or volume)))) and (data adj storage adj (approach\$6 or method or technique or apparatus or system))) and (data adj storage adj (media or medium))) and ((magnetic adj tape) or (floppy adj (disk or drive)))) and (filesystem or (file adj system))) and archiv\$4                                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:17 |
| 13       | 1     | ((((((retriev\$4 or extract\$6) near2 (storage adj (device or medium or media or disk or volume)))) and (data adj storage adj (approach\$6 or method or technique or apparatus or system))) and (data adj storage adj (media or medium))) and ((magnetic adj tape) or (floppy adj (disk or drive)))) and (filesystem or (file adj system))) and archiv\$4) and different adj (format or type) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:07 |

|    |     |   |   |                  |
|----|-----|---|---|------------------|
| 14 | 1   | (((((retriev\$4 or extract\$6) near2 (storage adj (device or medium or media or disk or volume))) and (data adj storage adj (approach\$6 or method or technique or apparatus or system))) and (data adj storage adj (media or medium))) and ((magnetic adj tape) or (floppy adj (disk or drive)))) and (filesystem or (file adj system))) and archiv\$4) and different adj6 (format or type)              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:07 |
| 15 | 1   | (((((retriev\$4 or extract\$6) near2 (storage adj (device or medium or media or disk or volume))) and (data adj storage adj (approach\$6 or method or technique or apparatus or system))) and (data adj storage adj (media or medium))) and ((magnetic adj tape) or (floppy adj (disk or drive)))) and (filesystem or (file adj system))) and archiv\$4) and different near6 (format or type)             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:09 |
| 16 | 0   | (((((retriev\$4 or extract\$6) near2 (storage adj (device or medium or media or disk or volume))) and (data adj storage adj (approach\$6 or method or technique or apparatus or system))) and (data adj storage adj (media or medium))) and ((magnetic adj tape) or (floppy adj (disk or drive)))) and (filesystem or (file adj system))) and archiv\$4) and different and format and type and request44  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:09 |
| 17 | 4   | (((((retriev\$4 or extract\$6) near2 (storage adj (device or medium or media or disk or volume))) and (data adj storage adj (approach\$6 or method or technique or apparatus or system))) and (data adj storage adj (media or medium))) and ((magnetic adj tape) or (floppy adj (disk or drive)))) and (filesystem or (file adj system))) and archiv\$4) and different and format and type and request\$4 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:09 |
| 18 | 14  | ((retriev\$4 or extract\$6) near2 (storage adj (device or medium or media or disk or volume))) and (data adj storage adj technique)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:16 |
| 19 | 369 | data adj storage adj technique  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:16 |
| 20 | 38  | (data adj storage adj technique) and (data adj storage adj (media or medium))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:16 |
| 21 | 13  | ((data adj storage adj technique) and (data adj storage adj (media or medium))) and ((magnetic adj tape) or (floppy adj (disk or drive)))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:16 |
| 22 | 2   | ((data adj storage adj technique) and (data adj storage adj (media or medium))) and ((magnetic adj tape) or (floppy adj (disk or drive)))) and (filesystem or (file adj system))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:17 |
| 23 | 2   | ((data adj storage adj technique) and (data adj storage adj (media or medium))) and ((magnetic adj tape) or (floppy adj (disk or drive)))) and (filesystem or (file adj system))) and archiv\$4   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/12 10:17 |